



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/198,004	11/23/1998	EDWARD L. CARVER	116310.014	1963

21832            7590            02/27/2003  
CUMMINGS AND LOCKWOOD  
GRANITE SQUARE  
700 STATE STREET  
P O BOX 1960  
NEW HAVEN, CT 06509-1960

EXAMINER	
ALEXANDER, LYLE	
ART UNIT	PAPER NUMBER

1743  
DATE MAILED: 02/27/2003

*36*

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)
	09/198,004	CARVER ET AL.
	Examiner Lyle A Alexander	Art Unit 1743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) Responsive to communication(s) filed on 13 December 2002.
- 2a) This action is FINAL.                            2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) Claim(s) 1,3-6,31 and 33-47 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) Claim(s) \_\_\_\_\_ is/are allowed.
- 6) Claim(s) 1,3-6,31 and 33-47 is/are rejected.
- 7) Claim(s) \_\_\_\_\_ is/are objected to.
- 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) The proposed drawing correction filed on \_\_\_\_\_ is: a) approved b) disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) All b) Some \* c) None of:
  1. Certified copies of the priority documents have been received.
  2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

- 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) The translation of the foreign language provisional application has been received.
- 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.	6) <input type="checkbox"/> Other: _____

In response to the 12/13/02 Appeal Brief, the Office updated the search and discovered new and pertinent art. The Office will replace the 3/29/02 final rejection with the following new non-final rejection.

***Claim Rejections - 35 USC § 102***

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1,3-6,31 and 33-47 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by EP 0107333.

See the appropriate paragraph of paper 25.

Additionally, Applicants' have characterized EP 0107333 as teaching a single reagent mixture added to a single sample. Applicants' state the instant invention teaches mixing a plurality of reagent mixtures with a sample prior to analysis.

With respect to the apparatus claims, these remarks are not convincing because the apparatus taught by EP 0107333 teaches a structure (e.g. multiple valves feeding into a single chamber for mixing) indistinguishable from that claimed.

The method claims are directed to "pumping each of a plurality of reagent mixture components including the sample of blood ...". The Office has read the claim as providing more than one stream, which includes the sample of blood. EP 0107333 meets this limitation by teaching the addition of a reagent mixture to the blood and the appropriate buffers, sheath fluids, etc.

Claims 1,3-6,31 and 33-47 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Carver et al. (USP 5,380,491).

Carver et al. teach a method and apparatus for hematology analysis where lysing agents "A" and "B" are added to a sample and mixed in a curette prior to analysis (see columns 2-4 and figure 1).

Claims 1,3-6,31 and 33-47 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Yamamoto et al.

Yamamoto et al. teach an automated blood analyzer that adds multiple reagents to a sample prior to analysis.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lyle A Alexander whose telephone number is 703-308-3893. The examiner can normally be reached on Monday, Wednesday and Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 703-308-4037. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.

Lyle A Alexander  
Primary Examiner  
Art Unit 1743

\*\*\*

February 20, 2003

  
Lyle A. Alexander  
Jill Warden  
Supervisory Patent Examiner  
Technology Center 1700